



2568 Eaton Gate Rd. Lake Orion, MI. 48360 (248) 391-8118

## ULTIMATE EPOXY BIG ASPHALT – GREEN and Bond-X Brand - GREEN, PREMIUM COLD PATCH

**Ultimate Epoxy Big Asphalt Brand and BOND-X BRAND High Performance Cold Patch** are high quality, ECO-FRIENDLY, naturally occurring polymer modified asphalt "cold patch" compound. Combining only carefully selected aggregate with a special bitumen formula, this product is truly an all season, all weather, and permanent asphalt surface repair material of choice.

**Ultimate Epoxy** has worked to assist in the development of this product to meet the needs and demands of today's environmentally conscious customers and to help lead the asphalt industry towards a greener future. This product contains NONE of the petroleum based solvents found in traditional cold mix (Benzene, Kerosene, Diesel, Toluene, Naphthalene).

This product contains virtually no VOC's, and is mixed with biodegradable solvents derived from renewable sources and provides for long term sustainability. It reduces risks to wild animal life, vegetation and domestic animals while reducing our dependence on petroleum.

We further our dedication to going green by using a full 40 – 60% recycled asphalt pavement in the manufacture, reducing the fossil fuel production rate by 70%, AND using 100% recycled material in the packaging of the product. This provides a significant reduction in our manufacturing carbon footprint.

**Ultimate Epoxy** is making this product available at a substantially reduced cost to our distributors for a limited time based on 2 pallet minimum orders. Now through October 31, 2009 we are providing the product at **ONLY \$27.95/ 60lb. bag + S&H!** Regular pricing will resume October 30, 2009 at \$29.95/60lb. bag. We are so excited about this product we are even offering another 2% savings for truckload orders in addition to the special pricing; please contact us for details and payment terms.

We recommend placing your order early so that it can be filled during the discount period (customer orders at the discounted price **MUST** be able to accept delivery by 9/30/09).

Placement characteristics are the same as for our BIG ASPHALT Brand product, and the provision of the following product sheet should be made to your end users for preparation and installation instructions. MSDS available upon request & shipped with all orders.

The use of Big Asphalt™, Bond-X GREEN™, and Ultimate Epoxy©, both trademarks and copyrights are protected by law. Use of these terms, logos, or likeness without express written consent violates the trademark and copyrights of the United States of America.



**ULTIMATE EPOXY.COM, LLC.**

*"When quality cannot be compromised"*

- PREPARATION:** Simply sweep out the area to be repaired with a bristled brush or broom. It is a good idea to remove any loose debris, dirt, ice, or standing water from the area to be repaired for ultimate adhesion characteristics. This action will promote good adhesion and bonding.
- APPLICATION:** **No** heating or mixing is required. Simply shovel into the pothole, crack, or rut, straight from the container. If the fault is especially deep, i.e. over six inches, apply in two inch layers, compacting each layer in succession. Shovel enough material into the fault to slightly crown the "patch". When completed compress the "patch". Area can be opened to traffic immediately.
- COVERAGE:** Depth and width of pothole, crack, utility cut etc. will greatly influence the coverage rate achieved. As a rule however, 60lb bag of Ultimate BIG ASPHALT -GREEN™ or BOND-X GREEN premium Cold Patch will fill a two inch deep hole, four square feet in size.
- COLOR:** Black
- DRYING TIME:** Immediate, following compacting of material.
- CLEAN UP:** All tools should be cleaned immediately after use with a solvent base cleaner such as varsol, paint thinner or mineral spirits.
- STORAGE:** Always keep container tightly closed when not in use to prevent "hardening" over long periods of storage.
- PACKAGING:** Ultimate BIG APShALT –GREEN™ Cold Patch is available in five-gallon pails and 55-gallon drums. BOND-X GREEN is available in 60 lb. bags and BULK.

This information is to assist customers in determining if this product is suitable for the proposed application, and to satisfy themselves as to suitability of the contents. Nothing herein shall constitute a warranty, expressed or implied, including any warranty of merchantability or fitness, nor is protection from law or patent implied.

The use of Big Asphalt™, Bond-X GREEN™, and Ultimate Epoxy©, both trademarks and copyrights are protected by law. Use of these terms, logos, or likeness without express written consent violates the trademark and copyrights of the United States of America.



**ULTIMATE EPOXY.COM, LLC.**

*"When quality cannot be compromised"*

The use of Big Asphalt™, Bond-X GREEN™, and Ultimate Epoxy©, both trademarks and copyrights are protected by law. Use of these terms, logos, or likeness without express written consent violates the trademark and copyrights of the United States of America.